

POWERNAIL®

LEADING THE INDUSTRY FOR 65 YEARS!



Dealer & Distributor Sales
(800) 323-1653 or (847) 634-3000

Fax Orders to:
(800) 624-5450 or (847) 634-4943

Email Orders to:
orders@powernail.com

PROFESSIONAL TOOLS FOR WOOD FLOORING INSTALLATION

Powernail Company, Inc.
1300 Rose Road, Lake Zurich IL 60047
(800) 323-1653 or (847) 634-3000

Pownail® Company, Inc.

Leading the industry for 65 Years!

In 1946, Carl and Ed Anstett founded Pownail Company. The two brothers developed the “L” Cleat Pownail and the Model 45 Pownailer. These inventors revolutionized the hardwood flooring industry, making installations much easier than previous methods.

Quality and durability have been, and always will be, the trademarks of Pownail products. Today, Tom and Dave Anstett, second generation owners, have taken the lead to produce quality Pownail tools and nails. Pownail Company is committed to making your business successful.



David and Thomas Anstett

POWERCLEATS® FLOORING NAILS

Powercleats nails are superior quality nails designed
for professional flooring installations.

At the heart of any nailing system is the nail. And, while many nails may look similar, there are differences in quality that can mean the difference between a successful installation or one plagued with problems.

Powercleats nails are designed for use with Pownailer nailers. They are superior-quality nails and are FHA and VA approved. They meet the requirements of the MFMA (Maple Flooring Manufacturers Association), NOFMA (National Oak Flooring Manufacturers Association) and NWFA (National Wood Flooring Association).


Powercleats nails are made from high-quality steel so they do not bend while being driven into hard flooring materials. They are made with a well-formed set of barbs along each nail, providing the ultimate holding power. The design aids in driving them into hard flooring materials, which helps to eliminate split tongues in floorboards.

When used in conjunction with the Pownail® line of nailers, Powercleats® nails ensure trouble-free operation and optimum construction results.

Powercleats nails are available in all sizes to fit all flooring applications and come in conveniently-sized cartons.



The well-formed barbs along each nail provide the ultimate in holding power. The unique “L” design helps to eliminate split tongues in floor boards when driving into hard flooring materials.



Power nail® Product Index

Power nailers® for 16 Gauge Cleats

 Model 445 Pneumatic Nailers Page 4	 Model 45 Manual Nailers Page 5	2" (50 mm)	445 Pneumatic Nailer	Page 4
		1-3/4" (45 mm)	445 FLEX Power Roller	Page 4
		1-1/2" (38 mm)	445SN Surface Nailer	Page 9
			45/45R Nailers	Page 5
			101/101R SN Nailers	Page 9

Power nailers® for 18 Gauge Cleats

 Power nail FLEX & Model 50P Pneumatic Nailers Page 6	 Model 50M FLEX Manual Nailers Page 6	1-3/4" (45 mm)	Power nail FLEX	Page 6
		1-1/2" (38 mm)	50P FLEX Power Roller	Page 6
		1-1/4" (32 mm)	50P Pneumatic Nailer	Page 7
		1" (25 mm)	50M Manual Nailer	Page 7

Power nailers® for 20 Gauge Cleats

 Model 200 Pneumatic Nailers Page 8	 Model 250 Manual Nailers Page 8	1-1/2" (38 mm)	200 Pneumatic Nailer	Page 8
		1-1/4" (32 mm)	250 Manual Nailer	Page 8
		1" (25 mm)		


Powercleats® Flooring Nails


 Page 13	 Page 12	Powercleats/Nails	Page 12
		Powercleat Sizes/Packaging	Page 13
		Powercleat Size/Depth Chart	Page 20
		Powercleats/Stainless Steel	Page 14

Pneumatic PowerStapler®

 Model 445FS Pneumatic Stapler Page 10	 Model 20FS Page 10	2" (50 mm)	Staples (15-1/2 Gauge)	Page 11
		1-3/4" (45 mm)	445FS Pneumatic Stapler	Page 10
		1-1/2" (38 mm)	445FS FLEX Power Roller	Page 10
			20 FS Trigger-Pull Stapler	Page 18
			1" Staples - 20 Gauge	Page 18

Accessories, Mallets, & Tune-Up Kits

 PowerJacks® Page 15	 PowerPalm Nailer Page 15	 Mallets Page 14	Mallets 3MI/5MI	Page 14
			Powerjacks Model 100/200/500	Page 15
			Tune-Up/Overhaul Kits	Page 18
			FLEX KIT for 50P	Page 17
			Power Roller Kit (445 & 445FS)	Page 17
			Power Roller Kit (50P & FLEX)	Page 17



**Model
445LS**

Model 445 Pneumatic Nailer

The Model 445 is recommended for use on 5/8", 3/4" and 33/32" Tongue and Groove flooring.

The standard configuration is a Long Handle with a Short Channel (L/S).

Nailer package includes a choice of Black or White 3mi Mallet, lube oil, 2 box wrenches, 2 Allen wrenches, extra driving blade, 3/4" & 5/8" adapter pads and 2 shims. Requires a 70 to 110 psi air compressor.

Specify handle and channel length (L/L, S/L, S/S, XL/L & XL/S) when ordering—no additional charge.

Short Channel holds 100 Powercleats, Long Channel holds 200.

Optional Pad for 1/2" flooring available.



White or Black 3MI



Double-Cap White

Model	White Mallet	Black Mallet	White Dbl/Cap
Model 445 LS 16 Gage Pneumatic Nailer	02-44500-LSW	02-44500-LS	02-44500-LS-WW

Model 445 FLEX POWER ROLLER The Best Nailer Just Got Better!

The Model 445 FLEX Power Roller is a mallet-activated pneumatic nailer that rolls across the flooring with speed and accuracy.

The 445 FLEX Power Roller has an adjustable foot for installing 3/4" to 5/8" tongue and groove flooring without using adapter pads.

The Model 445 FLEX Power Roller uses 16 gauge Powercleats® nails (.062") which come in lengths of 2", 1-3/4" and 1-1/2".

Options include choice of handle length (long, short, or extra-long) and short or long channel (100 vs. 200 cleats). Great for larger flooring installations.



**445
FLEX
POWER
ROLLER**

445 Conversion Kit Available - See Page 17.

Standard Configuration is Long Handle with Short Channel (L/S)

445 Power Roller with Single-Cap White Mallet	02-445PR-LSW
445 Power Roller with Single-Cap Black Mallet	02-445PR-LSB
445 Power Roller with Double-Cap White Mallet	02-445PR-LSWW



**Model
45**

Model 45 Manual Nailer

The Model 45 is a 16 gage manual nailer which is recommended for the installation of 5/8", 3/4" and 33/32" Tongue and Groove flooring.

The Model 45 sets the industry standard for a quality installation without using a job site air compressor. Nailer package includes a choice of a Black or White 5mi Mallet, an extra driving blade, plunger spring, feeder spring, blade retainer and 8/25 adapter plate for installing 3/4" & 22mm Tongue and Groove Flooring.

Options: Adapter plate 826-12 for 1/2" Tongue and Groove flooring, or adapter plate 826-58 for 5/8" Tongue and Groove flooring.

Model 45 with White Mallet	01-45-6401-WO
Model 45 with Black Mallet	01-45-6401-00
Model 45 with Dbl/Cap White	01-45-6401-WW

Model 45R Ratcheting Nailer

The Model 45R is a ratcheting version of the Model 45 nailer which is easier use and requires less effort to drive the nail.

Using a ratcheting mechanism, the multi-blow nailer allows the user to strike multiple times while driving a nail. The Model 45R uses 16 gage Powercleats and drives the nail at the perfect 45 degree angle while countersinking the nail as well.

Nailer package includes a choice of a Black or White 5mi Mallet, an extra driving blade, plunger spring, feeder spring, blade retainer and 8/25 adapter plate for installing 3/4" & 22mm Tongue and Groove Flooring.

Options: Adapter plate 826-12 for 1/2" Tongue and Groove flooring, or adapter plate 826-58 for 5/8" Tongue and Groove flooring.

Model 45R with White Mallet	01-45-6401R-W
Model 45R with Black Mallet	01-45-6401R
Model 45R with Dbl/Cap White	01-45-6401R-WW



**Model
45R**

16 GAGE POWERCLEATS®

BLACK BOXES .062 Thick (as thick as a quarter)



15 Cartons of
1,000
(PowerPack)


For use on 1/2", 5/8", 3/4", and 33/32"
Tongue & Groove Flooring



50 Cartons of 1,000
(1 Case = 50,000 Cleats)



10 Cartons of 5,000
(1 Case = 50,000 Cleats)



For Use With 16 Gage Cleats - Packed in Black Boxes

The Pownail FLEX Pneumatic 18 Gage Nailer

The Pownail FLEX is a truly flexible nailer which can nail down a wide variety of flooring found in today's market. Using the adjustable foot, you can fine-tune the nailer height according to different wood profiles. No need for extra shims and pads! The Pownail Flex is recommended for use on 3/8", 1/2" and 5/8" Tongue and Groove flooring as well as some 3/4" exotics, bamboo, and other solid wood flooring.

The Pownail Flex uses an 18 gage Powercleat that is less likely to split the tongue on denser, more brittle woods and provides an excellent bond to the underlayment. The Pownail FLEX is designed to use cleat lengths of 1", 1-1/4", 1-1/2", and 1-3/4".

Part Number:

Pownail FLEX with White Mallet:	02-50P-FLEX-W
Pownail FLEX with Black Mallet:	02-50P-FLEX-B
Pownail FLEX with Dbl/Cap White:	02-50P-FLEX-WW

The standard configuration is (L/S), Long Handle with Short Channel, which holds 100 Powercleats®. Nailer package includes a White 3mi Mallet, and 2 Allen wrenches, user manual, lube oil, extra driving blade and 2 box wrenches. Requires a 70 to 110 psi air compressor.

The FLEX with the Power Roller

Adding to the flexibility of the Pownail FLEX, the new Power Roller speeds up the installation and requires less effort on the part of the installer.

The FLEX uses an adjustable foot and you can fine-tune the nailer height according to different wood profiles. No need for extra shims and pads!

The Flex with Power Roller is recommended for use on 3/8", 1/2" and 5/8" Tongue and Groove flooring as well as some 3/4" exotics, bamboo, and other solid wood flooring.

The Pownail Flex uses an 18 gage Powercleat that is less likely to split the tongue on denser, more brittle woods and provides an excellent bond to the underlayment. The Pownail FLEX is designed to use cleat lengths of 1", 1-1/4", 1-1/2", and 1-3/4".

Part Number:

FLEX Power Roller w/White Mallet:	02-50P-FLEX-PR-W
FLEX Power Roller w/Black Mallet:	02-50P-FLEX-PR-B
FLEX Power Roller w/Dbl-Cap White:	02-50P-FLEX-PR-WW




Rubber tires are included to protect pre-finished flooring during installation.

The FLEX is a
Truly FLEXIBLE nailer!



The FLEX Power Roller,
FLEXIBLE and FAST!



Model 50P Pneumatic Nailer

The Model 50P is recommended for use on 3/8", 1/2" and 5/8" Tongue and Groove flooring as well as some 3/4" exotics, bamboo, and other solid wood flooring. Long handle configuration provides 18" height from floor to handle grip.

Handle, Channel

Black Mallet

White Mallet

50P: Long Handle, Short Channel

02-50P-00-LS

02-50P-00-LSW

The standard configuration is (L/S), Long Handle with Short Channel, which holds 100 Powercleats®.

Nailer package includes a White 3mi Mallet, 2 adapter pads, 4 shims and 2 Allen wrenches, user manual, lube oil, extra driving blade and 2 box wrenches. Requires a 70 to 110 psi air compressor.

Model 50P

Model 50M

Model 50M Manual Nailer

The Model 50M is recommended for use on 3/8", 1/2" and 5/8" Tongue and Groove flooring, as well as some 3/4", exotic and solid wood flooring.

Nailer package includes a White 3mi Mallet, 2 adapter pads, 4 shims, user manual, blade retainer, plunger spring, extra driving blade, and 2 Allen wrenches.

Model 50M FLEX Nailer

The 50M FLEX has an adjustable foot that allows for the installation of 3/8", 1/2" and 5/8" Tongue and Groove flooring, as well as some 3/4", exotic and solid wood flooring. Using the adjustable foot, the 50M FLEX needs no pads or shims.

Nailer Model:

Part Number:

Model 50M with White Mallet:

01-50M-0001-W

Model 50M with Black Mallet:

01-50M-0001-0

Model 50M with DbI/Cap White:

01-50M-0001-WW

Model 50M FLEX White Mallet:

01-50M-FLEX-W

Model 50M FLEX with Black Mallet:

01-50M-FLEX-B

Model 50M FLEX with DbI/Cap White:

01-50M-FLEX-WW

Model 50M FLEX

18 GAGE POWERCLEATS®

RED BOXES .050 Thick (as thick as a dime)

Nailer Models: 50P, 50M, 50C-SN



15 Cartons of 1,000 (PowerPack)

For use on 3/8", 1/2", 5/8" & Some 3/4" Exotic Tongue & Groove Flooring



50 Cartons of 1,000 (1 Case = 50,000 Cleats)



10 Cartons of 5,000 (1 Case = 50,000 Cleats)

1-3/4" (45 mm)

1-1/2" (38 mm)

1-1/4" (32 mm)

1" (25 mm)

3/4" (19 mm)


3/4" (19 mm)

5/8" (15 mm)

1/2" (12 mm)

3/8" (9 mm)

For Use With 18 Gage Cleats - Packed in Red Boxes



**Model
200**

Model 200 Pneumatic Nailer

The Model 200 is recommended for use on 5/16", 3/8", 1/2" and 9/16" Engineered, Tongue and Groove flooring. Standard configuration is Short Handle with Short Channel (S/S).

Nailer package includes a White 3mi Mallet, 4 adapter pads, 4 shims, 2 Allen wrenches, lube oil and a manual. Requires a 70 to 110 psi air compressor.

Part Number:

Model 200 with White Mallet	02-200-00-01W
Model 200 with Black Mallet	02-200-00-01



**Model
250**

Model 250 Manual Nailer

The Model 250 Manual Nailer is recommended for use on 5/16", 3/8", 1/2" and 5/8" Engineered Tongue and Groove flooring.

Nailer package includes a White 3mi Mallet, 4 adapter pads, 4 shims and 2 Allen wrenches, blade retainer, plunger spring and a manual.

Part Number:

Model 250 with White Mallet	01-250-0001W
Model 250 with Black Mallet	01-250-0001


20 GAGE E-POWERCLEATS® GREEN BOXES .035 Thick (as thick as a paper match)

Nailer Models: 200 & 250



15 Cartons of
2,000
(PowerPack)

For use on 5/16", 3/8", 1/2", 9/16" and 5/8"
Engineered Tongue & Groove Flooring



Complete Powercleat® Depth Chart on the Back Page

For Use With 20 Gage Cleats - Packed in Green Boxes

SURFACE NAILERS

Pneumatic 16 Gage Nailers



Model 445SN

Model 445SN Pneumatic Surface Nailer

The Model 445SN Surface Nailer is recommended for use on 1/2", 5/8", 3/4" and 33/32" Tongue and Groove flooring.

Nailer package includes a choice of Black or White 3mi Mallet, Lube oil, 2 box wrenches, 2 Allen wrenches and an extra driving blade. Requires a 70 to 110 psi air compressor. Allows the user to nail flooring up to 1" from the wall.

Model 445SN with Black Mallet	02-44500-SN
Model 445SN with White Mallet	02-44500-SN-W
Model 445SN with Dbl/Cap White	02-44500-SN-WW



Model 101SN

Model 101SN Manual Surface Nailer

Recommended for use on 1/2", 5/8", 3/4" and 33/32" Tongue and Groove Flooring. Nailer package includes a choice of Black or White 5mi Mallet, plunger spring, feeder spring and blade retainer.

Optional extension handle available: #08-10100250

Model 101SN with White Mallet	01-101-0801-WO
Model 101SN with Black Mallet	01-101-0801-00
Model 101SN with Dbl/Cap White	01-101-0801-WW



Model 101R

Model 101R Ratcheting Surface Nailer

Recommended for use on 1/2", 5/8", 3/4" and 33/32" Tongue and Groove flooring. Nailer package includes a choice of Black or White 5mi Mallet, plunger spring, feeder spring and blade retainer.

Optional extension handle available: #08-10100250

Model 101R with White Mallet	01-101-0801R-W
Model 101R with Black Mallet	01-101-0801R
Model 101R with Dbl/Cap White	01-101-0801R-WW

16 GAGE POWERCLEATS®

BLACK BOXES .062 Thick (as thick as a quarter)




15 Cartons of
1,000
(PowerPack)

For use on 1/2", 5/8", 3/4", and 33/32"
Tongue & Groove Flooring



50 Cartons of 1,000
(1 Case = 50,000 Cleats)


10 Cartons of 5,000
(1 Case = 50,000 Cleats)



2" (50 mm)

1-3/4" (45 mm)

1-1/2" (38 mm)



33/32"
(26 mm)

3/4"
(19 mm)

5/8"
(16 mm)

1/2"
(12 mm)

For Use With 16 Gage Cleats - Packed in Black Boxes

Model 445FS POWERSTAPLER®

The Powernail Model 445FS mallet-actuated, pneumatic stapler uses the same proven design that has made our nailers the standard of the commercial flooring industry for over 50 years. You can be assured that the Model 445FS will stand up to the rigors of daily use for years; and, it will help you install a floor you can be proud of.

The 445FS Powerstapler is recommended for use on 1/2", 5/8", 3/4" and 33/32" Tongue and Groove flooring. Stapler package includes a 3mi Mallet, lube oil, 2 Allen wrenches, 2 adapter pads, 2 box wrenches, users manual, and an extra driving blade. Specify handle length when ordering (L/S, S/S, or XL/S)—no extra charge. Requires a 70 to 110 psi air compressor.



Model 445FS

Uses
15-1/2 GAGE
PowerStaples.

Standard Configuration: Long Handle, Short Channel (L/S)


White Mallet	Black Mallet	Double White
13-44500FSW	13-44500FS	13-44500FSWW



White or Black 3MI Mallets



Double-Cap White



Model 445FS FLEX POWER ROLLER

Just walk and roll!

The Model 445FS FLEX Power Roller Stapler is now available.



445FS Conversion Kit Available,
See Page 16.

If you prefer using Staples, the 445FS Power Roller is the tool for you. The Model 445FS FLEX Power Roller staples down flooring with speed and accuracy.

The 445 FLEX Power Roller has an adjustable foot for installing 5/8" to 3/4" tongue and groove flooring without using adapter pads. Made to the highest quality standards of the Powernail® Company, the machine will enable you to install a floor that you can be proud of.

Standard Configuration: Long Handle, Short Channel (L/S)

White Mallet	Black Mallet	Double White
13-445FS-PR-LSW	13-445FS-PR-LSB	13-445FS-PR-LSWW


PowerStaples®

(for use in all Powerstaplers using 15 to 15-1/2 gauge 1/2" crown staples)


Now you can get flooring staples with the strength and holding power you need to build a floor you can depend on. The new Carbon Steel Powerstaples are designed for use with the Tongue and Groove PowerStapler 445FS, but can be used with many other staplers. Powerstaples are available in 2", 1-3/4" and 1-1/2" leg lengths with 1/2" crown to accommodate 1/2" to 33/32" Tongue and Groove flooring installations.



Cartons of 2" (50 mm)
Contains 7,700 Staples



Cartons of 1-3/4" (45 mm)
Contains 9,000 Staples



Cartons of 1-1/2" (38 mm)
Contains 10,300 Staples

Staple Sizes:	Staples per carton	Item Number	Carton Weight	Cartons per skid	Skid weight	Approx. Sq. Ft. per Carton/Skid
2" Staples	7.7M (7,700)	12-200-015-0770	35 Lbs	75	2,660 Lbs	1,386 / 103,000
2" Staples	6M (6,000)	12-200-015-0600	30 Lbs	108	2,830 Lbs	1,080 / 77,760
2" Staples	5M (5,000)	12-200-015-0500	25 Lbs	112	2,190 Lbs	900 / 103,500
1-3/4" Staples	9M (9,000)	12-175-015-0900	34 Lbs	75	2,585 Lbs	1,350 / 101,250
1-3/4" Staples	5M (5,000)	12-175-015-0500	19 Lbs	112	2,128 Lbs	850 / 95,200
1-1/2" Staples	10.3M (10,300)	12-150-015-1030	33 Lbs	75	2,510 Lbs	1,545 / 115,875
1-1/2" Staples	6M (6,000)	12-150-015-0600	22 Lbs	72	1,645 Lbs	900 / 64,800
1-1/2" Staples	5M (5,000)	12-150-015-0500	18 lbs	112	2,016 Lbs	750 / 84,000

(Electroplated, Galvanized Zinc-Coated Staples to Resist Corrosion)

NEW! 6-Pak of 1,000 Staples
Contains 6,000 Staples

Available in both
2" (50 mm) and 1-1/2" (38 mm)



NEW! Carton of 5,000 Staples
Available in 2" (50 mm) Length.




15-1/2 GAGE STAPLES

For use on
1/2" to 33/32" Flooring



Use with the Model 445FS
Powerstapler.



Complete Powercleat and Staple Depth Chart on the Back Page

16 GAGE POWERCLEATS®

BLACK BOXES .062 Thick (as thick as a quarter)

Nailer Models: 445, 445 FLEXPR, 445SN,
45, 45R, 101 & 101R



15 Cartons of
1,000
(PowerPack)



For use on 1/2", 5/8", 3/4" and 33/32"
Tongue & Groove Flooring



50 Cartons of 1,000
(1 Case = 50,000 Cleats)



10 Cartons of 5,000
(1 Case = 50,000 Cleats)



18 GAGE POWERCLEATS®

RED BOXES .050 Thick (as thick as a dime)

Nailer Models: 50P, 50P FLEX,
50P FLEXPR, 50M, 50C-SN



15 Cartons of
1,000
(PowerPack)


For use on 3/8", 1/2", 5/8" & 3/4" Exotic
Tongue & Groove Flooring



50 Cartons of 1,000
(1 Case = 50,000 Cleats)



10 Cartons of 5,000
(1 Case = 50,000 Cleats)



20 GAGE E-POWERCLEATS®



GREEN BOXES .035 Thick (as thick as a paper match)

Nailer Models: 200 & 250



15 Cartons of
2,000
(PowerPack)

For use on 5/16", 3/8", 1/2", 9/16" and 5/8"
T&G, Engineered and Exotic Hardwood Flooring



16 GAGE POWERCLEATS®

BLACK BOXES .062 Thick (as thick as a quarter)
(Nailer Models: 445, 45, 45R, 101 & 101R)



Carton of 1,000



Carton of 5,000

Nail Length	Model	15 Cartons of 1,000 (15,000 Nails) PowerPak Qty 15	50 Cartons of 1,000 (50,000 Nails) Case Qty 50	10 Cartons of 5,000 (50,000 Nails) Case Qty 10
2" (50 mm)	L 200-16	03-20001601P0	03-2000160100	03-2000160500
1-3/4" (45 mm)	L 175-16	03-17501601P0	03-1750160100	03-1750160500
1-1/2" (38 mm)	L 150-16	03-15001601P0	03-1500160100	03-1500160500
2" Mixed Case		(Qty 25 x 1,000: 03-2000160100) & (Qty 5 x 5,000: 03-2000160500)		
2" Stainless Steel		Purchase in Single Carton Quantities: 03-20001601SS		
1-1/2" Stainless Steel		Purchase in Single Carton Quantities: 03-15001601SS		

18 GAGE POWERCLEATS®

RED BOXES (.050 Thick/As thick as a dime)
(Nailer Models: 50P, 50M & all 50C Models)



Carton of 1,000



Carton of 5,000

Nail Length	Model	15 Cartons of 1,000 (15,000 Nails) PowerPak Qty 15	50 Cartons of 1,000 (50,000 Nails) Case Qty 50	10 Cartons of 5,000 (50,000 Nails) Case Qty 10
1-3/4" (45 mm)	L 175-18	03-17501801P0	03-1750180100	03-1750180500
1-1/2" (38 mm)	L 150-18	03-15001801P0	03-1500180100	03-1500180500
1-1/4" (32 mm)	L 125-18	03-12501801P0	03-1250180100	03-1250180500
1" (25 mm)	L 100-18	—	—	03-1000180500
3/4" (19 mm)	L 075-18	—	—	03-0750180500

20 GAGE E-POWERCLEATS®

GREEN BOXES .035 Thick (as thick as a paper match)
(Nailer Models: 200 & 250)



Carton of 2,000

E-Powercleats
Powernail's E-Powercleats have been specifically designed to ensure a rigid and secure installation without damaging the tongue of engineered flooring.

Nail Length	Model	15 Cartons of 2,000 (30,000 Nails) PowerPak Qty 15
1-1/2" (38 mm)	E 150-20	03-15002002E
1-1/4" (32 mm)	E 125-20	03-12502002E
1" (25 mm)	E 100-20	03-10002002E

("E-CLEATS")



15 Cartons of
2,000
(PowerPak)

Pneumatic 20 Gage Stapler Kit

FOR 5/16"—1/2" ENGINEERED T&G FLOORING

Model 20FS FLEX Pneumatic Trigger-Pull Flooring Stapler

Special designed by Pownail, the Model 20FS allows for the installation of 5/16"—1/2" engineered and solid tongue and groove flooring. Using the Pownail FLEX foot, the 20FS fits to the profile of your wood and staples quickly and accurately.

Directional Exhaust

Quick Release,
Easy Loader

Model 20FS Trigger-Pull Stapler

- Built for safety
- Uses 20 gage 1" staples
- Trigger-pull activated
- Dual locking screws
- Adjusts for 5/16" to 1/2" floors
- 45 degree staple set
- Fully assembled
- Adjustable exhaust
- Weighs 3.2 lbs

Low Staple
Indicator
Window

Aluminum
Adjustment
Locking Knobs

Easy to see, durable,
Steel Install Guide-
Floor activated Safety

Uses 20 Gage Staples

1" Leg (25 mm),
3/16" Crown (4.8 mm)



20 GAGE PowerStaples

Staple Size	Model	Part Number
1"	S100-20	12-100-200-2500

Sold in
PowerPaks
15 x 2500



The 20FS kit includes carrying case, Pownail® Tap Block™, lube, wrenches and storage space for 1 box of staples.



Weighted Pownail® Tap Block™ Pownail® Tap Block™ helps set boards for a tight fit.

**FOR 5/16"—1/2"
ENGINEERED T&G FLOORING**



NEW!

The PowerPalm™ Nailer

PowerNail's new Easy-Palm Nailer

Uses both 16 & 18 gauge Powercleats to nail down flooring boards in tough-to-reach places.

The **Future** is now.....

In the **Palm** of your hand



- ✓ 16ga or 18ga PowerCleats®
- ✓ 360 Degree Swivel Tip
- ✓ Magnetic Cleft Holder
- ✓ Pressure Activated



Fits in the palm
of your hand!

Closest you
can get
to the wall!


"No job is complete without one"

NEW!


The PowerJack™ 500

PowerJack™ 500

PowerJacks are used to push or pull flooring into place for hands-free nailing.



The Model 500 can be used mid-floor by screwing the base of the PowerJack to the sub-floor.



Models
100 and 200
Still Available

Tightens difficult end-strips near the wall.
Self-adjusts from 5/16" to 3/4" flooring

NEW! Model 500 PowerJack

POWERNAIL® Mallets

Pownail® offers a complete line of mallets and accessories to compliment its line of Pownailers and Powercleats nails.

Pownail offers several types of mallets, including the single-head and double-head models with standard Black or No-Mar White caps.

The new Wedgehead™ mallet reduces wrist fatigue and provides more clearance of the strip edge above the tongue when racking the wood.

Mallets for Pneumatic Pownailer® models 445, 50P, 200 and 250.

3MI Mallets (2.62 lbs)



3MI Mallet, Single-Cap White	06-9949W
3MI Mallet, Single-Cap Black	06-99490
#3 Mallet, Double-Cap White	06-99441W
#3 Mallet, Double-Cap Black	06-99441B

#3 Mallets (3.2 lbs)



Mallets for Manual Pownailers® 45, 45R, 101 and 101R.

5MI Mallets (3.64 lbs)



5MI Mallet, White	06-9911W
5MI Mallet, Black	06-99110
5MI Mallet, Dbl-Cap White	06-9910W
5MI Mallet, Dbl-Cap Black	06-9910B

Double Cap #5 (4.06 lbs)



Mallet Accessories

5MI Wooden Handle	06-99240	5MI Metal Mallet Head	06-99270	Rubber Cap (Black) with Ring	06-99220
3MI Wooden Handle	06-99240	3MI Metal Mallet Head	06-99460	Rubber Cap (White) with Ring	06-9922W
#5 Wooden Handle	06-99250	#5 Metal Mallet Head	06-99280	Steel Mallet Ring	06-99290
#4 Wooden Handle	06-99260	#3 D/C Metal Mallet Head	06-99440	Wedgehead Cap (White) w/Ring	06-9945W

POWERCLEATS and POWERSTAPLES

16 GAGE POWERCLEATS

Size	L-Cleats	Stainless Steel
2"	L200-16	L200-16SS
1-3/4"	L175-16	
1-1/2"	L150-16	L150-16SS



1,000 ct or 5,000 ct



15.5 GAGE PowerStaples

Size	PowerStaples	Qty
2"	S200-15	7.7M, 6x1M, 5M
1-3/4"	S175-15	9M, 5M
1-1/2"	S150-15	10.3M, 6x1M, 5M



18 GAGE POWERCLEATS

Size	L-Cleats
1-3/4"	L175-18
1-1/2"	L150-18
1-1/4"	L125-18

1,000 ct or 5,000 ct



20 GAGE PowerStaples

Size	PowerStaples
1"	S100-20

Sold in PowerPaks 15 x 2500



20 GAGE E-CLEATS

Size	E-PowerCleats
1-1/2"	E150-20
1-1/4"	E125-20
1"	E100-20

2,000 ct



Distributor Packaging Quantities (12 Cases = 1 Pallet)



(1 Case=10x5M)



(1 Case=50x1M)




(PowerPak=15x1M)

Accessories

Adapter Plates, Pads & Shims

#825 3/4" Flooring Adapter Plate (Standard on Model 45)	06-99-010
#826 1/2" Flooring Adapter Plate (for Model 45)	06-99-040
#826 5/8" Flooring Adapter Plate (for Model 45)	06-99-04A
#825 Adapter Plate with riser (Model 45—for 3/4" over concrete)	06-99-030
No-Mar Adhesive Pad (Standard for 45 & 45R .015 Thick)	06-99-720



Model 45 Adapter Plates

Pads & Shims Model 445		Model 50P & 50M		Model 200	
Pad for 1/2" T&G	09-445-29736	All Pads & Shims Kit: 09-50P-50M-APS		All Pads & Shims Kit: 09-200-250-APS	
Pad for 5/8" T&G	09-445-29737				
Pad for 3/4" T&G	09-445-29738	Pad (.150)	09-50P-3036	C-1 Pad	09-200-4001
For 22mm T&G	09-445-29738.1	Pad (.200)	09-50P-3037	M-1 Pad	09-200-4002
Shim (.030)	09-445-29819	Shim (.030)	09-50P-3038	B-1 Pad	09-200-4003
				U-1 Pad	09-200-4004



Adapter Pads & Shims

Shoes

"Big Foot" Nailer Shoe for Model 445 Part Number: 06-99-420

"Big Foot" Nailer Shoe for Model 45/45R (with mounting hardware): 06-99-430

The "Big Foot" Nailer Shoe adapts to any 45, 45R or 445 to add an extra level of protection when installing 3/4" delicate, pre-finished flooring.



"Big Foot" Nailer Shoe

Cleat Pouch: #06-99-910 All Leather Cleat Pouch for carrying sticks of cleats. Great for use on-the-job when installing hardwood flooring. Quicker reloads keep you running smoothly. Magnetic button cover closes securely while still allowing easy access to cleats for quick reload. Sturdy belt loop on back keeps pouch firmly in place. Pouch is thin, compact and stays snug to the waist.



Air Hose Adapters

Reducing Bushing
3/8"(M) x 1/4"(F)
06-99-900



3/8" to 1/4"
Bushing


Air Fitting, 1/4" to 3/8" NPT
(quick disconnect)
09-445-5418



FLEX Foot and Power Roller Conversion Kits

New FLEX adjustable foot for the Model 50P allows for installing wood thicknesses of 3/8" to 3/4" without using pads or shims.

The 50P FLEX is ideal for Engineered, Bamboo, Teak and other tongue & groove flooring.
Part Number: 06-99-600



FLEX Adjustment Lever

Infinitely Adjustable-
Millimeters or Inches.

All FLEX Kits come complete and ready to install.

Just walk and roll! Power Roller kits for 16 and 18 gage nailers as well as the 445FS Stapler.

Model 50P or FLEX Power Roller Kit Part #: 06-99-601

Model 445 Nailer Power Roller Kit Part #: 06-99-602

Model 445FS Stapler Power Roller Kit Part #: 06-99-603



Using the Power Roller cuts down on overall job time and increases comfort and speed.
For a Video Demo, check out our web site or see it on YouTube

Tune-up and Overhaul Kits

Pownailer replacement parts are available as kits for each of our nailers. Each kit is nailer and task specific. Whether you need a tune-up kit, overhaul kit or a seal kit, you will find a kit that contains all the parts you need, as well as instructions on how to install them.

Pownailer Tune-Up Parts Kits

Model 35U Underlayment	08-35U-TU-KIT
Model 45 or 45R T&G Nailer	08-45-TU-KIT
Model 50C-3/8 T&G Nailer	08-50C-38-TU-KIT
Model 50C-1/2 T&G Nailer	08-50C-12-TU-KIT
Model 50C Face Nailer	08-50CF-TU-KIT
Model 101/101R Face Nailer	08-101-TU-KIT
Model 200 T&G Nailer	09-200-TU-KIT
Model 250 T&G Nailer	08-250-TU-KIT
Model 445 T&G Nailer	09-445-TU-KIT
Model 445 SN Surface Nailer:	09-445SN-TU-KIT
Model 50M T&G Nailer	08-50M-TU-KIT
Model 50P & FLEX T&G Nailer	09-50P-TU-KIT
Model 100/200 Powerjack Tune-up	08-100-TU-KIT

Pownail Overhaul Parts Kits

Model 35U Underlayment Nailer	08-35U-OVH-KIT
Model 45 T&G Nailer	08-45-OVH-KIT
Model 45R T&G Nailer	08-45R-OVH-KIT
Model 50C-3/8 T&G Nailer	08-50C-38-OVH-KIT
Model 50C-1/2 T&G Nailer	08-50C-OVH-KIT
Model 50C Face Nailer	08-50C-OVH-KIT
Model 101 Face Nailer	08-101-OVH-KIT
Model 101R Face Nailer	08-101R-OVH-KIT
Model 200 T&G Nailer	09-200-OVH-KIT
Model 250 T&G Nailer	08-250-OVH-KIT
Model 445 T&G Nailer	09-445-OVH-KIT
Model 445 SN Nailer	09-445SN-OVH-KIT
Model 50M T&G Nailer	08-50M-OVH-KIT
Model 50P & FLEX T&G Nailer	09-50P-OVH-KIT
Model 100/200 Powerjack Overhaul	08-100-OVH-KIT

Driving Blades

445 / 445SN	09-445-29718
50P / 50P FLEX	09-50P-3018
200	09-200-3018
445FS	09-445-29303
45 / 45R	08-45-00380
50M	08-50M-00380
250	08-250-00380
101 / 101R	08-101-00380
50C 1/2	08-50C-1211S
50C 3/8	08-50C-3811S
50C Face	08-50CF-0011S
35U	08-35U-0011B

Miscellaneous Parts

Blade Retainer 45/45R/50M/250/101/101R:	08-45-00-580
Plunger Spring 45/45R/101/101R:	08-45-00-450
Plunger Spring 50M/250:	08-250-00-450
Plunger Spring 50CF / 1/2 / 3/8:	08-50C-12-120
Feeder Channel 45/45R/101/101R :	08-45-00-020
Feeder Spring 45/45R/101/101R :	08-45-00-180
Spring Clip 45/45R/101/101R :	08-45-00-010
Converter: MK-III Stapler to Powercleats(100)	06-99-570
Converter: MK-III Stapler to Powercleats(200)	06-99-580

Pownailer® TOOL BAG™

TOOL BAG: 06-99-201

The Pownail TOOL BAG holds all Pownailer® configurations as well as the FLEX and POWER ROLLER models. Built of tough, padded, industrial nylon to protect your tools.

Carrying Case for Nailers:

TOOLBOX: 06-99205

TOOLBOX-Large Plastic Case for Long and Short Handled Pownailers® Nailers including: Models 50P, 200, 45, 45R and all 445's (except XL, no FLEX or Power Rollers). Extra room inside for mallet, cleats, etc:



The "Toolbox"



TOOL BAG

Small Plastic Carrying Case:

Small Case: 06-99200

Holds Manual Nailers including Models 45, 101, 50CF, 50M, 200, and 250:



Small Case

Seal Kits & Seals

Seal Kit for all Pneumatic Nailers: # 09-200-3058A
(Includes 1 of each seal for a pneumatic rebuild)

Piston U-Cup Seal:	09-200-3026
Rubber Seat:	09-445-29723
Piston Rod U-Cup:	09-200-3028
Plunger Felt Wiper Seal:	09-445-29729
Plunger Seal Set:	09-445-29725
Return Cylinder O-Ring:	09-445-29731
Return Cylinder U-Cup:	09-200-3027

PowerPalm Nailer Seal Kit: 09-PALM-KIT1
20FS Stapler Seal Kit: 09-20FS-5090SK

Plunger Heads

445 / 445SN / 445FS	09-445-29831
FLEX / 50P / 200	09-200-3014
45	07-45-00-370
45R	07-45-00-704
50M	07-50M-00-370
250	07-250-00-370
101	07-101-00-370
101R	07-45-00-704
50CF, 1/2 & 3/8	07-50C-12-06S
35U	07-35U-00-6BR

For detailed part lists and schematics, please visit our web site at <http://www.pownail.com>

POWERNAILERS® are: Rugged, Dependable, and Easy to Use!

When it comes to flooring nails and nailers, Powernail® has been setting the standard of the commercial flooring industry for over 60 years.

When using Powernail® nailers and cleats, you can rest assured you are working with the highest quality tools and nails. This quality reveals itself in a floor you can feel confident about—a floor that will go together easily and precisely—and one that will stand the test of time.

One mallet blow is all that is required to drive a Powercleats® nail into tongue and groove flooring at the perfect 45° angle, and countersunk to the correct depth, without splitting the flooring tongue.

In addition, different length handles and easy-to-change adapter plates for different size flooring strips are available to make every job easier.

Tongue and Groove Nailers: Models 445, 45, 50P, 50M, 200, 250
Surface Nailer: 445SN, 101, 50C-SN



Information & Resources Available on Our Web Site

Locate a Dealer: Powernail products are available from over 3,000 Authorized Powernail Dealers located in the United States and other countries. Visit our web page "Where to Buy" at www.powernail.com to search for dealers near you by State and Zip Code. For help finding a Powernail dealer, you may also contact our customer service department at: 800/323-1653 or 847/847-3000.

Trouble Shooting: If you are having a problem with one of our pneumatic Powernailers, try trouble-shooting it first with our [Trouble Shooting](#) page on our web site.

Repair Service: Powernail products may be returned to the closest Powernail dealer in your location for parts and service. If you would like the factory to do the repairs please call the above number and request instructions on how to return your Powernail product for service. Be sure you have the Powernailer model and serial number handy when you call us.

Replacing the parts yourself? View the online [Parts List](#) and [Nailer Schematics](#) on our website to assist in repairs, or use our [step-by-step pictures](#) and [online video clips](#) to walk you through the process.

Powernail Customer Service: 1-800-323-1653

Powernail office hours are 7:00 AM to 4:30 PM CST Monday through Friday. After hours, you may leave a detailed message any time and expect a prompt return call the following business day. You may also fax your inquiry to (USA-fax)1-800-624-5450 or (International-faxes)1-847-847-3071

Other Resources: The National Wood Flooring Association: www.nwfa.org (NWFA)

The Wood Flooring Manufacturers Association: www.nofma.org/faq.htm (NOFMA)

Maple Flooring Manufacturers Association: www.maplefloor.org (MFMA)




POWERNAIL® Company, Inc. warrants Powernailers® to be free from defects in material and workmanship for a period of 12 months from the date of retail purchase with a 7 year warranty on the nailer body. Damage caused by abuse, misuse, unusual or excessive wear, improper repair or modification are not covered by this warranty. All warranty work must be performed by Powernail Company. All other warranties expressed or implied including merchantability are disclaimed. The warranty registration card must be filled out by Dealer and Owner and mailed to Powernail Co., Inc. to activate the warranty.


Powercleat® and Powerstaple® Depth Chart

This is only a guide. Results should be tested in the field before proceeding. Depths shown are over a 3/4" plywood subfloor.


**2" PowerCleats® (16 Gage) or,
2" PowerStaples™ (15.5 Gage)**




**1-3/4" PowerCleats (16 or 18 Gage) or
1-3/4" PowerStaples (15.5 Gage)**




1-1/2" PowerCleats or PowerStaples (15.5, 16, 18 or 20 Gage)



1-1/4" PowerCleats (18 or 20 Gage)



1" PowerCleats or PowerStaples (18 or 20 Gage)



POWERCLEATS and POWERSTAPLES

16 GAGE POWERCLEATS

Size	L-Cleats	Stainless Steel
2"	L200-16	L200-16SS
1-3/4"	L175-16	
1-1/2"	L150-16	L150-16SS



1,000 ct or 5,000 ct



15.5 GAGE PowerStaples

Size	PowerStaples	Qty
2"	S200-15	7.7M, 6x1M, 5M
1-3/4"	S175-15	9M, 5M
1-1/2"	S150-15	10.3M, 6x1M, 5M



18 GAGE POWERCLEATS

Size	L-Cleats
1-3/4"	L175-18
1-1/2"	L150-18
1-1/4"	L125-18

1,000 ct or 5,000 ct



20 GAGE PowerStaples

Size	PowerStaples
1"	S100-20

Sold in
PowerPaks
15 x 2500



20 GAGE E-CLEATS

Size	E-PowerCleats
1-1/2"	E150-20
1-1/4"	E125-20
1"	E100-20

2,000 ct



Distributor Packaging Quantities (12 Cases = 1 Pallet)



(1 Case=10x5M)



(1 Case=50x1M)



(PowerPak=15x1M)